

BUFO RANA IN HOMEOPATHY: POTENTIZATION, TOXICOLOGY, CLINICAL CONSEQUENCES, AND THERAPEUTIC USE

Geir Bjørklund¹, Olha Storchylo²

¹ Council for Nutritional and Environmental Medicine, Mo i Rana, Norway

² Clinical Chemistry and Laboratory Diagnostics Department, Odesa National Medical University, Odesa, Ukraine

Geir Bjørklund

email: bjorklund@conem.org

ABSTRACT

Homeopathy, an alternative treatment method based on the principle of "like cures like," has gained attention in recent years. This paper focuses on Bufo Rana, a homeopathic remedy prepared from the poison of the Bufo toad. We explore the process of potentization and dosage in homeopathy, discussing the various potencies and the influence of Avogadro's number. Furthermore, we provide an overview of Bufo species, their historical depictions in art, and the toxicological properties of bufotenine, tryptamine, and bufotoxin found in Bufo toads. The clinical consequences of the Bufo species' venom, including neurological manifestations and cardiac arrhythmias, and the therapeutic use of Bufo Rana in mental and neurological conditions are discussed. We summarize Bufo Rana's symptoms and therapeutic relationships based on William Boericke's materia medica. Further research is warranted to investigate the efficacy and safety of Bufo Rana and its role in treating specific conditions.

Keywords: homeopathy, Bufo Rana, potentization, dosage, toxicology, clinical consequences, therapeutic use.

Introduction

Homeopathy, developed by Samuel Hahnemann (1755-1843) in the 18th century, is an alternative treatment method based on the principle of "like cures like." According to this principle, substances that cause disease symptoms in a healthy person can be used to treat similar symptoms in a sick individual (1). Homeopathic remedies, often called homeopathics, are prepared through potentization, which involves diluting and succussing the original substance.

In this paper, we explore the therapeutic potential of Bufo Rana, a homeopathic remedy derived from the venom of the Bufo toad. Bufo species, commonly known as toads, have a long-standing history in various cultures and art. These amphibians are predominantly found

in subtropical and tropical regions. Depictions of Bufo species can be traced back to ancient civilizations, such as the Mayans and Aztecs, who incorporated them into their artwork (2).

Bufo Rana has been included in homeopathic materia medica, which comprises detailed lists of indications and applications for various homeopathic remedies (3).

Bufo Rana contains active toxins such as bufotenine and tryptamine, which possess hallucinogenic properties (4-5). However, using homeopathic preparations from Bufo Rana focuses on its therapeutic effects rather than its toxic properties. Homeopathic literature suggests that Bufo Rana may be beneficial in treating various mental and neurological conditions, including epilepsy accompanied by severe headaches (6).

This paper aims to provide a comprehensive overview of Bufo Rana in homeopathy, encompassing its historical background, toxicological properties, and potential therapeutic applications. We examine the process of potentization and the dilution methods used in preparing homeopathic remedies. Additionally, we delve into the toxic effects of Bufo species, the clinical consequences of Bufo venom ingestion or injection, and the specific symptoms and indications associated with Bufo Rana as described by William Boericke (1849-1929) in his influential materia medica (3).

By shedding light on the historical context and therapeutic potential of Bufo Rana in homeopathy, this paper aims to contribute to the existing body of knowledge on homeopathic remedies and encourage further research into their efficacy and safety.

Potentization and Dosage

In homeopathy, potentization is crucial in preparing remedies with enhanced therapeutic properties. Samuel Hahnemann, the founder of homeopathy, developed this method to harness the healing potential of substances. Potentization involves a series of dilutions and succussions that aim to potentiate the medicinal effects while minimizing potential toxicity.

Hahnemann experimented with different dosage methods to refine the effectiveness of homeopathic remedies. Initially, he used substances in their original form, but due to the toxic nature of some of the substances, he began exploring dilution techniques. The process of potentization involves diluting the active substance in a solvent, typically water or alcohol, and then succussing or vigorously shaking the solution.

The dilutions in homeopathy are expressed as ratios, such as 1:10 (decimal potency) or 1:100 (centesimal potency). Each dilution step is accompanied by succussion, often involving 100 vigorous shakes. The resulting potency is indicated by a numerical value, such as D30 (decimal potency) or C200 (centesimal potency), where the numbers represent the number of dilution and succussion steps performed.

Avogadro's number (6.023×10^{23}) is a fundamental concept in chemistry that represents the number of atoms or molecules in one mole of a substance. At a certain point in the dilution process, known as Avogadro's limit, it is unlikely to find a single remaining molecule of the original substance in the solution. In homeopathy, this concept raises questions about the presence of the active substance in highly diluted potencies.

While the presence of remaining molecules beyond Avogadro's limit is unlikely, homeopaths believe that the potentization process imparts the energetic imprint or essence of the original substance to the solvent. According to homeopathic principles, this energetic imprint stimulates the body's self-healing mechanisms and promotes therapeutic effects.

The choice of potency in homeopathy is often based on the individual's symptoms and the desired therapeutic response. Homeopaths believe that higher dilutions, such as D24 or C12, are more potent and have a deeper impact on the vital force, the body's inherent healing energy. However, the precise mechanism of action and the relationship between dilution level and therapeutic efficacy remain subjects of debate and ongoing research.

It is worth noting that the solvent used in potentization, such as ethanol, raises questions regarding the distinction between a "homeopathic" or "chemical" issue (7-8). In addition, ethanol causes membrane fluidity - and taking into account the fact that homeopathic preparations enter the patient's body mainly orally, this can affect the condition of the membranes of the cells of the mucous membrane of the gastrointestinal tract - and, accordingly, affect the flow of the substance (or its imprint) into the blood through the enteric barrier. So, the influence of the solvent itself and its interaction with the energetic imprint of the original substance warrant further investigation in the field of homeopathy.

Homeopathy aims to harness the healing potential of substances while minimizing potential toxicity by employing the process of potentization and utilizing various potencies. The specific dosage and potency selection in homeopathic practice is individualized, considering each patient's unique symptoms and needs.

Toxicological Properties of Bufo Species

Bufo toads in their parotid glands produce catechol amines (dopamine, epinephrine, norepinephrine), serotonin, bufotenine, bufagenins, bufotoxins, and indolealkylamines (4). So, *Bufo* species secrete contain several active toxins, including bufotenine (5-OH-DMT) and tryptamine (5-MeO-DMT), which possess hallucinogenic properties (2, 9). These compounds contribute to the psychotropic effects associated with the ingestion or exposure to *Bufo* species (9-11). *Bufo* species' bufotoxin also exhibits toxic effects on cardiac glycosides (12-14).

The toxicological properties of *Bufo* species, with their potential to induce a wide range of symptoms and effects, have garnered attention in both traditional and scientific contexts. Understanding the toxic components and their mechanisms of action is essential for evaluating the therapeutic potential of *Bufo* Rana - a homeopathic remedy prepared from the poison of the *Bufo* toad.

Clinical Consequences and Treatment

The venom of *Bufo* species can give rise to various clinical consequences, with manifestations affecting both the neurological and cardiovascular systems. Ingestion or exposure to *Bufo* venom has been associated with various symptoms and effects, warranting attention and further investigation.

Neurological manifestations are prevalent following *Bufo* species' venom ingestion. Symptoms such as muscle jerking, convulsions, and changes in mental status have been reported (15-16). Additionally, visual and auditory hallucinations have been observed in cases where dried *Bufo* venom was smoked (9). The ingestion of homeopathic aphrodisiacs containing *Bufo* venom has been linked to toxic effects resembling digoxin toxicity, including cardiac arrhythmias and heart block (12, 17-21).

It is important to note that the clinical consequences of venom injection from *Dendrobates* or *Phylllobates* species, both belonging to the *Bufo* family, differ from those

associated with oral ingestion. Injection with venom can result in ataxia, paralysis, convulsions, and dyspnea (5). Conversely, oral ingestion of *Bufo* venom does not typically cause clinical consequences (22-23).

However, information regarding the epidemiology, clinical consequences, and recommended treatment of *Bufo* species venom exposure remains limited (5). Due to the relative rarity of cases and the unique nature of *Bufo* venom toxicity, comprehensive data on its management and long-term outcomes are yet to be established. Further research is necessary to expand our understanding of this topic.

Considering the potential toxicological properties of *Bufo* species and their clinical consequences, exploring appropriate treatments for *Bufo* venom exposure is imperative. The limited information underscores the need for comprehensive studies to identify and establish effective treatment strategies for managing the diverse symptoms and effects of *Bufo* venom toxicity.

Therapeutic Use of Bufo Rana

Bufo Rana, derived from the poison of the *Bufo* toad, is significant in homeopathic medicine. It is frequently employed in the treatment of various mental and neurological conditions. The following description from William Boericke's "New Manual of Homeopathic Materia Medica and Repertory" sheds light on the potential therapeutic applications of *Bufo* Rana (3).

Bufo Rana acts, according to Boericke, on the nervous system and skin, with marked uterine symptoms. It exhibits symptoms resembling paralysis agitans and presents striking rheumatic manifestations. This remedy is known to arouse the lowest passions and may cause a desire for intoxicating drinks and impotence. Notably, it finds utility in feeble-minded children and individuals prematurely senile. *Bufo* Rana shows promising effects in addressing epileptic symptoms, including convulsive seizures occurring during sleep at night. Moreover, it appears to be closely associated with derangements of the sexual sphere (24).

The tables presented in this paper

summarize Bufo Rana's effects according to William Boericke (3). Including Boericke's original wording in these tables serves historical and medical purposes, ensuring accuracy and consistency.

The therapeutic potential of Bufo Rana in homeopathy highlights its role in addressing mental and neurological conditions. Further research is required to elucidate its mechanisms of action and validate its efficacy in these areas. As with homeopathic remedies, individualization and proper case evaluation are essential for optimal treatment outcomes.

Tables Summarizing Bufo Rana's Symptoms and Therapeutic Relationship

To provide a comprehensive overview of the symptoms associated with Bufo Rana and its therapeutic relationship, we have compiled three tables based on William Boericke's *materia medica* (3).

Table 1 presents organ-specific symptoms associated with Bufo Rana. It outlines the manifestations observed in various organ systems, shedding light on the remedy's potential effects on the nervous system, skin, uterus, and

more.

In this table 2, gender-specific symptoms related to Bufo Rana are highlighted. It encompasses the unique clinical presentations observed in males and females, providing insights into the remedy's potential impact on the sexual sphere and associated conditions.

Table 2 Gender-specific symptoms of Bufo Rana according to William Boericke (2)

Female	Male
Menses too early and copious, clots and bloody discharge at other times; watery leucorrhœa.	Involuntary emissions; impotence, discharge too quick, spasms during coition.
Excitement, with epileptic attacks.	Buboes.
Epilepsy at time of menses.	Disposition to handle organs (Hyos; Zinc).
Induration in mammary glands.	Effects of onanism.
Palliative in cancer of the mammæ.	
Burning in ovaries and uterus.	
Ulceration of cervix.	
Offensive bloody discharge.	
Pains run into legs.	
Bloody milk.	
Milk-leg.	
Veins swollen.	
Tumors and polypi of womb.	

Table 1 *Organ symptoms of Bufo Rana according to William Boericke (3)*

Mind	Head	Eyes	Ears	Heart	Extremities	Skin
Anxious about health.	Sensation as if hot vapor rose to top of head.	Cannot bear sight or brilliant objects.	Music is unbearable (Ambra).	Feels too large.	Pains in loins, numbness of limbs, cramps, staggering gait, feeling as if a peg were driven in joints; swelling of bones.	Panaritium; pain runs up arm.
Sad, restless.	Numbness of brain.	Little blisters form on eye.	Every little noise distresses.	Palpitation.		Patches of skin lose sensation.
Propensity to bite.	Face bathed in sweat.			Constriction about heart.		Pustules, suppuration from every slight injury. Pemphigus.
Howling; impatient; nervous; imbecile.	Epistaxis with flushed face and pain in forehead, better, nosebleed.			Sensation of heart swimming in water.		
Desire for solitude. Feeble-minded.						Bullæ which open and leave a raw surface, exuding and ichorous fluid.
						Blisters on palms and soles.
						Itching and burning.
						Carbuncle.

Table 3 focuses on the therapeutic relationship, modalities, and recommended doses of Bufo Rana. It elucidates the remedy's connection to specific conditions and factors that influence its efficacy. Moreover, it guides the appropriate dosage for optimal treatment outcomes.

These tables serve as valuable resources for practitioners and researchers in the field of homeopathy, offering a concise summary of Bufo Rana's symptoms and its therapeutic implications. By incorporating information from Boericke's original materia medica, we aim to provide accurate and reliable information for further exploration and clinical application.

Conclusions

Homeopathy as an alternative branch of medicine has had its supporters and opponents since its inception in the 18th century. Homeopathic research has been critically discussed in the literature (8, 25-27), however, the positive results of treatment with homeopathic remedies, including Bufo Rana, cannot be denied. It seems that every even non-traditional method that can help patient to recover has to be used. Therefore, further research is needed on the possible therapeutic effects of homeopathy.

References

1. Aversa R, Petrescu RVV, Apicella A, Petrescu FIT. About Homeopathy or ≪Similia Similibus Curentur≫. American Journal of Engineering and Applied Sciences. 2016;9(4).
2. Carod-Artal FJ. Hallucinogenic drugs in pre-Columbian Mesoamerican cultures. Neurología (English Edition). 2015 2015/01/01/;30(1):42-9.
3. Boericke W. New Manual of Homoeopathic Materia Medica and Repertory with Relationship of Remedies: Including Indian Drugs, Nosodes Uncommon, Rare Remedies, Mother Tinctures, Relationship, Sides of the Body, Drug Affinities and List of Abbreviation: 3rd Edition: B. Jain Publishers (P) Limited; 2023.
4. Peterson M, Roberts B. Toads. In: Peterson M, Talcott P, Saunders W, editors. Small Animal Toxicology Elsevier 2013. p. 833-9.
5. Postma T. Neurotoxic animal poisons and venoms In: Dobbs M, editor. Clinical Neurotoxicology: Syndromes, Substances, Environments: Elsevier; 2009. p. 463-89.
6. Cowperthwaite AC. A Text-book of Materia Medica: Characteristic, Analytical, and Comparative: Duncan Brothers; 1882.
7. Chirumbolo S, Bjørklund G. Bias and misleading concepts in an Arnica research study. Comments to improve experimental Homeopathy. J Ayurveda Integr Med. 2018 Jan-Mar;9(1):75-80.
8. Chirumbolo S, Bjørklund G. Homeopathic Dilutions, Hahnemann Principles, and the Solvent Issue: Must We Address Ethanol as a "Homeopathic" or a "Chemical" Issue? Homeopathy. 2018 Feb;107(1):40-4.
9. Weil AT, Davis W. Bufo alvarius: a potent hallucinogen of animal origin. J Ethnopharmacol. 1994 Jan;41(1-2):1-8.
10. Calina D, Carvalho F, Docea A. Toxicity of psychedelic drugs. In: Tsatsakis A, editor. Toxicological Risk Assessment and Multi-System Health Impacts from Exposure: Academic Press; 2021. p. 545-56.
11. McBride MC. Bufotenine: toward an understanding of possible psychoactive mechanisms. J Psychoactive Drugs. 2000 Jul-Sep;32(3):321-31.
12. Xie JT, Dey L, Wu JA, Lowell TK, Yuan CS. Cardiac toxicity of resibufogenin: electrophysiological evidence. Acta Pharmacol Sin. 2001 Apr;22(4):289-97.
13. Smith F, Schrope D, Sammarco C. Cardiovascular Effects of Systemic Diseases In: Tilley L, editor. Manual of Canine and

Table 3 Therapeutic information for Bufo Rana according to William Boericke (3)

	Relationship		Modalities	Dose
Compare	Baryt carb; Asterias; Salamand (Epilepsy and softening of brain)	Worse	in warm room, on awakening.	Sixth potency and higher.
		Better	from bathing or cold air; from putting feet in hot water.	

- Feline Cardiology 2008. p. 240-76.
14. Neumann J, Schulz N, Fehse C, Azatsian K, Čináková A, Marušáková M, et al. Cardiovascular effects of bufotenin on human 5-HT₄ serotonin receptors in cardiac preparations of transgenic mice and in human atrial preparations. *Naunyn-Schmiedeberg's Archives of Pharmacology*. 2023 2023/07/01;396(7):1471-85.
 15. Hitt M, Ettinger DD. Toad toxicity. *N Engl J Med*. 1986 Jun 5;314(23):1517-8.
 16. Keomany S, Mayxay M, Souvannasing P, Vilayhong C, Stuart BL, Srour L, et al. Toad poisoning in Laos. *Am J Trop Med Hyg*. 2007 Nov;77(5):850-3.
 17. Kwan T, Patusco AD, Kohl L. Digitalis toxicity caused by toad venom. *Chest*. 1992 Sep;102(3):949-50.
 18. Honerjäger P, Reiter M. The cardiotoxic effect of batrachotoxin. *Naunyn-Schmiedeberg's Archives of Pharmacology*. 1977 1977/10/01;299(3):239-52.
 19. Yei CC, Deng JF. (Toad or toad cake intoxication in Taiwan: report of four cases). *J Formos Med Assoc*. 1993 Sep;92 Suppl 3:S135-9.
 20. Barry TL, Petzinger G, Zito SW. GC/MS comparison of the West Indian aphrodisiac "Love Stone" to the Chinese medication "chan su": bufotenine and related bufadienolides. *J Forensic Sci*. 1996 Nov;41(6):1068-73.
 21. Gowda RM, Cohen RA, Khan IA. Toad venom poisoning: resemblance to digoxin toxicity and therapeutic implications. *Heart*. 2003 Apr;89(4):e14.
 22. Maerki F, Witkop B. THE VENOM OF THE COLOMBIAN ARROW POISON FROG *PHYLLOBATES BICOLOR*. *Experientia*. 1963 Jul 15;19:329-38.
 23. Daly J, Witkop B. Batrachotoxin, an extremely active cardio- and neurotoxin from the Colombian arrow poison frog *Phyllobates aurotaenia*. *Clin Toxicol*. 1971 Sep;4(3):331-42.
 24. Fortney L. Erectile Dysfunction. In: Rakel D, editor. *Integrative Medicine*: Elsevier; 2018. p. 623-9.
 25. Chirumbolo S, Bjørklund G. Commentary: Arnica Montana Effects on Gene Expression in a Human Macrophage Cell Line: Evaluation by Quantitative Real-Time PCR. *Front Immunol*. 2016;7:280.
 26. Chirumbolo S, Bjørklund G. Homeopathic Arnica from Boiron and post-operative bleeding in mastectomized women in Milan: Statistical flaws and bias to be addressed. *J Tradit Complement Med*. 2018 Jan;8(1):1-3.
 27. Chirumbolo S, Bjørklund G. Homeopathic potencies of Arnica montana L. change gene expression in a Tamm-Horsfall protein-1 cell line in vitro model: the role of ethanol as a possible confounder and statistical bias. *J Integr Med*. 2017 Jul;15(4):255-64.