

BULETINUL INSTITUTULUI POLITEHNIC DIN IAȘI

Publicat de


Universitatea Tehnică „Gheorghe Asachi” din Iași

Volumul 69 (73), Numărul 3, 2023

Secția

CONSTRUCȚII DE MAȘINI

DOI:10.2478/bipcm-2023-0027



HUMAN EXPERIENCE IN HSM VERSUS AI IN HSM

BY

BRUNO RĂDULESCU* and MARA-CRISTINA RĂDULESCU

“Gheorghe Asachi” Technical University of Iași,
Faculty of Machine Manufacturing and Industrial Management, Iași, Romania

Received: December 15, 2023

Accepted for publication: December 26, 2023

Abstract. High-Speed Machining (HSM) involves the use of advanced machining techniques to cut materials at significantly higher speeds than traditional methods. The comparison between human-operated machining and AI-driven machining can be analyzed in various aspects like we present in the paper below.

Keywords: High Speed Machining, human experience, artificial intelligence, productivity, cost saving.

1. Introduction

Companies that adopt high-speed machining technologies can gain a competitive edge in the market. The ability to deliver products faster, with high precision and cost-effectively, positions a company well in competitive industries.

High-speed machining (HSM) is a machining process that involves significantly higher cutting speeds and feed rates compared to traditional

*Corresponding author; *e-mail*: bruno.radulescu@academic.tuiasi.ro

© 2023 Bruno Rădulescu and Mara-Cristina Rădulescu

This is an open access article licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License (CC BY-NC-ND 4.0).

machining processes. The goal of high-speed machining (HSM) is to improve the efficiency and productivity of the machining process by significantly increasing cutting speeds and feed rates. This is achieved through the use of advanced cutting tools, improved machine tool technology, and optimized machining parameters (Childerhouse *et al.*, 2023).

The successful implementation of high-speed machining requires a comprehensive approach, considering factors such as machine tool rigidity, cutting tool selection, cooling systems, and the specific requirements of the machining process and materials involved (Hon and Baharudin, 2006).

The decision to use high-speed machining should be based on a thorough assessment of the specific requirements of the machining process, the characteristics of the materials involved, and the overall production goals.

Additionally, the availability of suitable equipment and the expertise of the machining team play crucial roles in the successful implementation of high-speed machining.

The adoption of high-speed machining technologies may vary based on the specific needs, production volumes, and technical requirements of each industry or company. Additionally, the availability of skilled operators and the necessary infrastructure play key roles in the successful implementation of HSM.

2. HSM advantages for increasing the production

High-Speed Machining (HSM) refers to a set of machining techniques that involve cutting at significantly higher speeds than traditional machining processes. This approach is often used to achieve higher productivity, precision, and surface quality (Kluz *et al.*, 2022).

The advantages of high-speed machining contribute to a more efficient and streamlined production process, enabling manufacturers to meet increasing demand, reduce costs, and stay competitive in the market (Matuszak *et al.*, 2022).

The objectives of high-speed machining (HSM) are to improve the efficiency, productivity, and precision of the machining process. These objectives are achieved through the implementation of advanced technologies and techniques that allow for significantly higher cutting speeds and feed rates.

By pursuing these objectives, high-speed machining aims to transform traditional machining processes, making them more efficient, adaptable, and capable of meeting the demands of modern manufacturing.

Transforming traditional machining processes into High-Speed Machining (HSM) involves adopting advanced technologies, optimizing workflows, and integrating new methodologies to achieve higher efficiency and productivity (Schulz, 2003).

Transforming traditional machining processes into High-Speed Machining is a comprehensive and iterative process. It requires a combination of technological investments, skill development, and a commitment to continuous improvement. By embracing the principles of HSM, manufacturers can unlock higher efficiency, reduced lead times, and improved overall competitiveness (Wojciechowski *et al.*, 2023).

The primary objectives of high-speed machining include:

1. **Faster Material Removal:** One of the main goals is to remove material from the workpiece at a much faster rate compared to traditional machining processes. This leads to reduced cycle times and increased overall productivity.

2. **Improved Surface Finish:** High-speed machining can result in smoother surface finishes on machined parts. This is important in applications where a high level of surface quality is required, such as in the aerospace or medical industries.

3. **Increased Productivity:** By reducing machining time, high-speed machining contributes to higher production rates and improved efficiency. This is especially beneficial in industries with high-volume production requirements.

4. **Enhanced Tool Life:** Despite the higher cutting speeds, advancements in tool materials and coatings help maintain or even extend tool life. This is crucial for minimizing downtime and reducing tooling costs.

5. **Cost Savings:** The combination of faster machining, improved tool life, and enhanced productivity can lead to overall cost savings in the manufacturing process.

6. **Precision and Accuracy:** High-speed machining, when combined with advanced control systems and machine tool rigidity, can result in high precision and accuracy in the finished parts. This is essential in industries where tight tolerances are required.

7. **Flexibility in Material Selection:** HSM techniques are often applicable to a wide range of materials, including metals, plastics, and composites. This flexibility makes it suitable for various manufacturing applications.

8. **Competitive Advantage:** Companies that adopt high-speed machining technologies can gain a competitive edge in the market by offering faster turnaround times, higher quality products, and cost-effective manufacturing solutions.

Successful implementation of high-speed machining requires a comprehensive understanding of the specific requirements of the machining process, including the characteristics of the material being machined, the capabilities of the machine tools, and the selection of appropriate cutting tools and parameters.

Key characteristics and aspects of high-speed machining include:

1. **Increased Cutting Speeds:** High-speed machining involves using cutting tools at much higher speeds than conventional machining. This is made possible by advancements in cutting tool materials and coatings, as well as improvements in machine tool technology.

2. **Higher Feed Rates:** In addition to increased cutting speeds, high-speed machining employs higher feed rates. This means that the cutting tool advances more quickly through the material, resulting in faster material removal.

3. **Improved Tool Materials and Coatings:** High-speed machining often requires cutting tools made from advanced materials, such as carbide, ceramics, or polycrystalline diamond (PCD). These materials can withstand the high temperatures generated during high-speed cutting. Additionally, coatings like titanium nitride or diamond-like carbon may be applied to further enhance tool performance.

4. **Rigidity of Machine Tools:** The machines used in high-speed machining need to be rigid and stable to handle the increased forces and vibrations associated with the higher cutting speeds and feed rates. This requires robust construction and precision engineering.

5. **Coolant Systems:** Efficient cooling is crucial in high-speed machining to dissipate the heat generated during the process. Advanced coolant systems are often employed to maintain the temperature at the cutting interface and prevent tool wear.

High-speed machining offers a range of advantages that enhance the overall efficiency and effectiveness of machining processes, making it a preferred approach in various manufacturing industries.

The advantages of high-speed machining include:

- **Reduced Cycle Time:** HSM can significantly reduce the time it takes to produce a part due to faster cutting speeds and feed rates.
- **Improved Surface Finish:** The higher speeds and feeds can lead to smoother surface finishes on machined parts.
- **Increased Productivity:** Faster machining allows for higher production rates and increased overall productivity.
- **Extended Tool Life:** Despite the increased speeds, advanced tool materials and coatings can contribute to longer tool life.

Some of objectives of high-speed machining (HSM) are centered around improving the efficiency, productivity, and precision of machining processes. These objectives are achieved through the implementation of advanced technologies and techniques that allow for significantly higher cutting speeds and feed rates. Here are some objectives of high-speed machining:

1. **Faster Material Removal:** One of the main goals is to remove material from the workpiece at a much faster rate compared to traditional machining processes. This leads to reduced cycle times and increased overall productivity.

2. **Improved Surface Finish:** High-speed machining can result in smoother surface finishes on machined parts. This is important in applications where a high level of surface quality is required, such as in the aerospace or medical industries.

3. **Increased Productivity:** By reducing machining time, high-speed machining contributes to higher production rates and improved efficiency. This is especially beneficial in industries with high-volume production requirements.

4. **Enhanced Tool Life:** Despite the higher cutting speeds, advancements in tool materials and coatings help maintain or even extend tool life. This is crucial for minimizing downtime and reducing tooling costs.

5. **Cost Savings:** The combination of faster machining, improved tool life, and enhanced productivity can lead to overall cost savings in the manufacturing process.

6. **Precision and Accuracy:** High-speed machining, when combined with advanced control systems and machine tool rigidity, can result in high precision and accuracy in the finished parts. This is essential in industries where tight tolerances are required.

7. **Flexibility in Material Selection:** HSM techniques are often applicable to a wide range of materials, including metals, plastics, and composites. This flexibility makes it suitable for various manufacturing applications.

8. **Competitive Advantage:** Companies that adopt high-speed machining technologies can gain a competitive edge in the market by offering faster turnaround times, higher quality products, and cost-effective manufacturing solutions.

The suitability of high-speed machining depends on the specific requirements of the application, the materials involved, and the desired outcomes. It's essential to assess the unique characteristics of each scenario to determine whether HSM is the preferred machining approach.

High-Speed Machining (HSM) is preferred in various scenarios where the specific advantages of high cutting speeds, rapid feed rates, and advanced machining technologies provide tangible benefits. Here are scenarios in which high-speed machining is often preferred:

1. **High-Volume Production:** HSM is well-suited for industries or applications that involve the production of large quantities of parts. The faster material removal rates and reduced cycle times contribute to increased overall productivity.

2. **Tight Production Schedules:** When there is a need to meet tight production deadlines or deliver products quickly, high-speed machining can be employed to expedite the manufacturing process.

3. **Prototyping and Rapid Tooling:** In situations where rapid prototyping or rapid tooling is necessary, HSM can be a valuable tool. The

ability to quickly produce prototype parts or tooling accelerates the product development cycle.

4. **Complex Geometries:** High-speed machining is effective in machining complex and intricate part geometries. The precision and accuracy achieved at higher cutting speeds are advantageous for creating intricate details.

5. **Hard Materials:** HSM is often used when working with hard materials, such as hardened steels or exotic alloys. The increased cutting speeds, combined with advanced tool materials, allow for efficient machining of these challenging materials.

6. **Reduced Secondary Operations:** If the goal is to minimize or eliminate secondary finishing processes, high-speed machining can be beneficial. The improved surface finish achieved during the machining process can reduce the need for additional finishing steps.

7. **Cost-Effective for High-Value Parts:** In situations where the value of the machined parts justifies the investment in high-speed machining technology, it can be a cost-effective choice. The benefits of faster production and reduced tooling costs can outweigh the initial setup costs.

8. **Industries with Strict Tolerances:** High-speed machining is suitable for industries that have strict tolerance requirements. The precision and accuracy achieved at higher speeds make it possible to meet these tight tolerances consistently.

9. **Mold and Die Manufacturing:** HSM is commonly used in the production of molds and dies, where intricate shapes and high precision are crucial. The process can result in faster turnaround times for mold and die production.

10. **Automotive and Aerospace Applications:** Industries like automotive and aerospace, where there is a demand for lightweight materials and complex components, often benefit from the advantages of high-speed machining.

3. Human experience in HSM versus AI in HSM

In the context of High-Speed Machining (HSM), both human experience and artificial intelligence (AI) play crucial roles, each contributing unique strengths to the overall machining process.

In an ideal scenario, the collaboration between human experience and AI experience in HSM is synergistic. Humans leverage their expertise, adaptability, and creativity, while AI processes data, recognizes patterns, and optimizes parameters for efficiency. The successful integration of both human and AI elements results in a more intelligent and adaptive HSM process, enhancing overall productivity and quality.

By effectively managing human experience and AI in HSM, organizations can create a harmonious and efficient working environment that

leverages the strengths of both components. This collaborative approach enhances productivity, decision-making, and overall performance in high-speed machining processes.

Managing human experience and artificial intelligence (AI) in High-Speed Machining (HSM) involves creating a collaborative and synergistic environment where the strengths of both humans and AI can be harnessed for optimal results. Here are key considerations for managing human experience and AI in HSM:

1. Training and Skill Development:

- **Human Experience:**
 - Provide ongoing training for operators to stay updated on HSM technologies.
 - Foster a culture of continuous learning to enhance human expertise.
- **AI:**
 - Train personnel responsible for AI integration and management.
 - Ensure that the team understands AI algorithms and their applications in HSM.

2. Collaborative Decision-Making:

- **Human Experience:**
 - Encourage collaboration between human operators and AI systems.
 - Foster an environment where operators actively contribute insights and decisions.
- **AI:**
 - Design AI systems to support decision-making rather than replace it.
 - Provide explanations for AI-generated recommendations to enhance transparency.

3. Data Quality and Integration:

- **Human Experience:**
 - Emphasize the importance of accurate data collection and input from human operators.
 - Ensure that humans understand the significance of data in HSM.
- **AI:**
 - Implement data quality checks to ensure AI algorithms receive accurate and reliable data.
 - Integrate AI systems with data sources and sensors for real-time information.

4. Continuous Improvement:

- **Human Experience:**

- Encourage operators to provide feedback based on their experience.
- Facilitate regular meetings to discuss challenges and opportunities for improvement.
- **AI:**
 - Implement feedback loops for AI systems to continuously learn and adapt.
 - Regularly update AI algorithms based on real-world performance data.

5. Adaptive Systems:

- **Human Experience:**
 - Foster adaptability among human operators to respond to changing conditions.
 - Encourage a proactive approach to addressing unforeseen challenges.
- **AI:**
 - Develop adaptive AI systems that can adjust to dynamic machining environments.
 - Implement AI algorithms capable of real-time adjustments based on changing conditions.

6. User-Friendly Interfaces:

- **Human Experience:**
 - Ensure user-friendly interfaces that facilitate easy interaction with machining systems.
 - Consider the ergonomic aspects of control interfaces.
- **AI:**
 - Design AI interfaces that are intuitive and provide valuable insights to human operators.
 - Implement visualization tools to aid in understanding AI-generated information.

7. Ethical Considerations:

- **Human Experience:**
 - Train operators on ethical considerations related to data privacy and responsible AI use.
 - Establish ethical guidelines for decision-making in HSM.
- **AI:**
 - Implement ethical AI principles, ensuring fairness and transparency.
 - Regularly assess AI systems for potential biases and ethical implications.

8. Task Allocation and Collaboration:

- **Human Experience:**
 - Clearly define roles and responsibilities for human operators.

- Encourage collaboration among team members.
- **AI:**
 - Determine specific tasks for which AI is best suited and integrate it accordingly.
 - Ensure seamless collaboration between human and AI components.

9. Communication and Feedback:

- **Human Experience:**
 - Establish open communication channels for feedback and concerns.
 - Promote a culture where operators feel comfortable expressing their opinions.
- **AI:**
 - Implement communication channels for AI-generated insights and alerts.
 - Provide mechanisms for humans to ask questions and seek clarifications from AI systems.

10. Risk Management:

- **Human Experience:**
 - Train operators in risk management strategies and decision-making under uncertainty.
 - Establish protocols for handling unexpected situations.
- **AI:**
 - Implement fail-safe mechanisms and contingency plans in AI systems.
 - Regularly assess and mitigate risks associated with AI applications.

4. Conclusions

Integrating AI into High-Speed Machining requires collaboration between experts in machining processes, data science, and AI technologies. It's an iterative process that involves continuous refinement and optimization based on real-world performance and feedback.

The combination of AI and human experience creates a powerful synergy where AI technologies leverage data-driven insights, pattern recognition, and computational capabilities, while human operators contribute domain expertise, intuition, and adaptability to handle complex, dynamic, and unforeseen challenges in the machining process. This collaborative approach ensures a more holistic and effective achievement of the objectives of high-speed machining.

Optimal Collaboration: The most effective approach is often a synergistic collaboration between human operators and AI. Humans contribute

expertise, creativity, and adaptability, while AI processes data, recognizes patterns, and optimizes parameters for efficiency.

Decision-Making: Humans are crucial for complex decision-making, strategic planning, and adapting to unforeseen challenges. AI, on the other hand, excels at processing large datasets, identifying patterns, and optimizing parameters in real-time.

Continuous Improvement: The collaboration between human experience and AI allows for continuous improvement. Humans can provide insights for refining AI models, and AI systems can adapt based on the feedback loop from real-world performance.

REFERENCES

- Childerhouse T., M'Saoubi R., Franca L.F.P., Crawford P., Jackson M., *Machining performance and wear behaviour of polycrystalline diamond and coated carbide tools during milling of titanium alloy Ti-54M*, Wear 2023.
- Hon K., Baharudin B.H.T., *The impact of high speed machining on computing and automation*, Int. J. Autom. Comput. 2006.
- Kluz R., Habrat W., Bucior M., Krupa K., Sęp J., *Multi-criteria optimization of the turning parameters of Ti-6Al-4V titanium alloy using the Response Surface Methodology*, Eksploat. Niezawodn. – Maint. Reliab., 2022.
- Matuszak J., Zaleski K., Ciecieląg K., Skoczylas A., *Analysis of the Effectiveness of Removing Surface Defects by Brushing*, Materials 2022.
- Schulz H., *High-Speed Machining*, In: Dashchenko A.I., Editor. Manuf. Technol. Mach. Futur. 21st Century Technol., Berlin, Heidelberg: Springer Berlin Heidelberg, 2003.
- Wojciechowski S., Krajewska-Śpiewak J., Maruda R.W., Krolczyk G.M., Nieslony P., Wiczeorowski M., Gawlik J., *Study on ploughing phenomena in tool flank face-workpiece interface including tool wear effect during ball-end milling*, Tribol. Int., 2023.

EXPERIENȚA UMANĂ ÎN HSM VERSUS IA ÎN HSM

(Rezumat)

Această lucrare prezintă elemente legate de prelucrarea de mare viteză (HSM) ce implică utilizarea unor tehnici avansate de uzinare pentru a aşchia materialele la viteze semnificativ mai mari decât metodele tradiţionale. Comparăţia dintre prelucrarea operată de om şi cea bazată pe inteligenţă artificială poate fi analizată sub diverse aspecte, aşa cum prezentăm în lucrarea de mai jos.